








令和8年度版危険物の保安管理（一般編）の訂正内容

1 数値等（グラフ内、説明文内）の訂正

該当箇所	誤	正																																																				
P. 45 危険物施設数の状況 (令和7年3月31日現在)																																																						
P. 46 危険物施設の規模別構成比 (令和7年3月31日現在)																																																						
P. 49 (3) 危険物施設における火災事故の危険性の推移 (最近の5年間)	<table><tr><th colspan="2">令和6年</th></tr><tr><th>件数</th><th>危険性</th></tr><tr><td>56 (1)</td><td>110.96 (1.98)</td></tr><tr><td>4 (1)</td><td>0.81 (0.20)</td></tr><tr><td>3</td><td>0.53</td></tr><tr><td>1</td><td>0.14</td></tr><tr><td>10 (2)</td><td>1.56 (0.31)</td></tr><tr><td>18 (3)</td><td>0.69 (0.11)</td></tr><tr><td>45</td><td>8.1</td></tr><tr><td>1</td><td>9.83</td></tr><tr><td>147 (7)</td><td>25.28 (1.20)</td></tr><tr><td>193 (7)</td><td>16.62 (0.60)</td></tr><tr><td>267 (11)</td><td>6.99 (0.29)</td></tr></table>	令和6年		件数	危険性	56 (1)	110.96 (1.98)	4 (1)	0.81 (0.20)	3	0.53	1	0.14	10 (2)	1.56 (0.31)	18 (3)	0.69 (0.11)	45	8.1	1	9.83	147 (7)	25.28 (1.20)	193 (7)	16.62 (0.60)	267 (11)	6.99 (0.29)	<table><tr><th colspan="2">令和6年</th></tr><tr><th>件数</th><th>危険性</th></tr><tr><td>56 (1)</td><td>112.29 (2.01)</td></tr><tr><td>4 (1)</td><td>0.82 (0.20)</td></tr><tr><td>3</td><td>0.54</td></tr><tr><td>1</td><td>0.14</td></tr><tr><td>10 (2)</td><td>1.57 (0.31)</td></tr><tr><td>18 (3)</td><td>0.70 (0.12)</td></tr><tr><td>45</td><td>8.12</td></tr><tr><td>1</td><td>9.84</td></tr><tr><td>147 (7)</td><td>25.57 (1.22)</td></tr><tr><td>193 (7)</td><td>16.74 (0.61)</td></tr><tr><td>267 (11)</td><td>7.04 (0.29)</td></tr></table>	令和6年		件数	危険性	56 (1)	112.29 (2.01)	4 (1)	0.82 (0.20)	3	0.54	1	0.14	10 (2)	1.57 (0.31)	18 (3)	0.70 (0.12)	45	8.12	1	9.84	147 (7)	25.57 (1.22)	193 (7)	16.74 (0.61)	267 (11)	7.04 (0.29)
令和6年																																																						
件数	危険性																																																					
56 (1)	110.96 (1.98)																																																					
4 (1)	0.81 (0.20)																																																					
3	0.53																																																					
1	0.14																																																					
10 (2)	1.56 (0.31)																																																					
18 (3)	0.69 (0.11)																																																					
45	8.1																																																					
1	9.83																																																					
147 (7)	25.28 (1.20)																																																					
193 (7)	16.62 (0.60)																																																					
267 (11)	6.99 (0.29)																																																					
令和6年																																																						
件数	危険性																																																					
56 (1)	112.29 (2.01)																																																					
4 (1)	0.82 (0.20)																																																					
3	0.54																																																					
1	0.14																																																					
10 (2)	1.57 (0.31)																																																					
18 (3)	0.70 (0.12)																																																					
45	8.12																																																					
1	9.84																																																					
147 (7)	25.57 (1.22)																																																					
193 (7)	16.74 (0.61)																																																					
267 (11)	7.04 (0.29)																																																					

P. 49 (4) 主な 危険物 施設に おける 火災 事故の 危険性 の推移 (最近 の5年 間)	※令和6年の数値（左から全施設、給油取扱所、一般取扱所、製造所）																																																																									
	 令和6年	 令和6年																																																																								
P. 50 (5) 危険物 施設に おける 流出 事故の 危険性 の推移 (最近 の5年 間)	<table><tr><th colspan="2">令和6年</th></tr><tr><th>件数</th><th>危険性</th></tr><tr><td>87 (2)</td><td>172.38(3.96)</td></tr><tr><td>1</td><td>0.20</td></tr><tr><td>92 (1)</td><td>16.33(0.17)</td></tr><tr><td>1</td><td>1.06</td></tr><tr><td>29 (1)</td><td>4.07(0.14)</td></tr><tr><td></td><td></td></tr><tr><td>62 (1)</td><td>9.69(0.15)</td></tr><tr><td>1</td><td>1.07</td></tr><tr><td>147 (3)</td><td>5.64(0.11)</td></tr><tr><td>56</td><td>10.08</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td>18 (1)</td><td>177(9.28)</td></tr><tr><td>139 (6)</td><td>23.91(1.03)</td></tr><tr><td>213 (7)</td><td>18.35(0.60)</td></tr><tr><td>486(12)</td><td>12.73(3.80)</td></tr></table>	令和6年		件数	危険性	87 (2)	172.38(3.96)	1	0.20	92 (1)	16.33(0.17)	1	1.06	29 (1)	4.07(0.14)			62 (1)	9.69(0.15)	1	1.07	147 (3)	5.64(0.11)	56	10.08					18 (1)	177(9.28)	139 (6)	23.91(1.03)	213 (7)	18.35(0.60)	486(12)	12.73(3.80)	<table><tr><th colspan="2">令和6年</th></tr><tr><th>件数</th><th>危険性</th></tr><tr><td>87 (2)</td><td>174.45 (4.01)</td></tr><tr><td>1</td><td>0.20</td></tr><tr><td>92 (1)</td><td>16.43 (0.18)</td></tr><tr><td>1</td><td>1.07</td></tr><tr><td>29 (1)</td><td>4.10 (0.14)</td></tr><tr><td></td><td></td></tr><tr><td>62 (1)</td><td>9.74 (0.16)</td></tr><tr><td>1</td><td>1.08</td></tr><tr><td>186 (3)</td><td>7.19 (0.12)</td></tr><tr><td>56</td><td>10.11</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td>18 (1)</td><td>177.17 (9.84)</td></tr><tr><td>139 (6)</td><td>24.17 (1.04)</td></tr><tr><td>213 (7)</td><td>18.47 (0.61)</td></tr><tr><td>486 (12)</td><td>12.82 (0.32)</td></tr></table>	令和6年		件数	危険性	87 (2)	174.45 (4.01)	1	0.20	92 (1)	16.43 (0.18)	1	1.07	29 (1)	4.10 (0.14)			62 (1)	9.74 (0.16)	1	1.08	186 (3)	7.19 (0.12)	56	10.11					18 (1)	177.17 (9.84)	139 (6)	24.17 (1.04)	213 (7)	18.47 (0.61)	486 (12)	12.82 (0.32)
	令和6年																																																																									
件数	危険性																																																																									
87 (2)	172.38(3.96)																																																																									
1	0.20																																																																									
92 (1)	16.33(0.17)																																																																									
1	1.06																																																																									
29 (1)	4.07(0.14)																																																																									
62 (1)	9.69(0.15)																																																																									
1	1.07																																																																									
147 (3)	5.64(0.11)																																																																									
56	10.08																																																																									
18 (1)	177(9.28)																																																																									
139 (6)	23.91(1.03)																																																																									
213 (7)	18.35(0.60)																																																																									
486(12)	12.73(3.80)																																																																									
令和6年																																																																										
件数	危険性																																																																									
87 (2)	174.45 (4.01)																																																																									
1	0.20																																																																									
92 (1)	16.43 (0.18)																																																																									
1	1.07																																																																									
29 (1)	4.10 (0.14)																																																																									
62 (1)	9.74 (0.16)																																																																									
1	1.08																																																																									
186 (3)	7.19 (0.12)																																																																									
56	10.11																																																																									
18 (1)	177.17 (9.84)																																																																									
139 (6)	24.17 (1.04)																																																																									
213 (7)	18.47 (0.61)																																																																									
486 (12)	12.82 (0.32)																																																																									
P. 51 (6) 主な 危険物 施設に おける 流出 事故の 危険性 の推移 (最近 の5年 間)	※令和6年の数値（左から全施設、移動タンク貯蔵所、給油取扱所、製造所）																																																																									
	 令和6年	 令和6年																																																																								

P. 52 1 概況	2 行目 ～事故は 753 件 4 行目 損害額 45 億 573 万円 5 行目 損害額 4 億 2, 422 万円	2 行目 ～事故は 773 件 4 行目 損害額 46 億 287 万円 5 行目 損害額 4 億 2, 657 万円																																																								
P. 53 危険物 施設別 の 火災 事故 発生 件数と 危険性 (令和 6 年中)	<table><tr><th colspan="2">危険性</th></tr><tr><td>110.96</td><td>(1.98)</td></tr><tr><td>0.81</td><td>(0.20)</td></tr><tr><td>0.53</td><td></td></tr><tr><td>0.14</td><td></td></tr><tr><td>1.56</td><td>(0.31)</td></tr><tr><td>0.69</td><td>(0.11)</td></tr><tr><td>8.10</td><td></td></tr><tr><td>9.83</td><td></td></tr><tr><td>25.28</td><td>(1.20)</td></tr><tr><td>16.62</td><td>(0.60)</td></tr><tr><td>6.99</td><td>(0.29)</td></tr></table>	危険性		110.96	(1.98)	0.81	(0.20)	0.53		0.14		1.56	(0.31)	0.69	(0.11)	8.10		9.83		25.28	(1.20)	16.62	(0.60)	6.99	(0.29)	<table><tr><th colspan="2">危険性</th></tr><tr><td>112.29</td><td>(2.01)</td></tr><tr><td>0.82</td><td>(0.20)</td></tr><tr><td>0.54</td><td></td></tr><tr><td>0.14</td><td></td></tr><tr><td>1.57</td><td>(0.31)</td></tr><tr><td>0.70</td><td>(0.12)</td></tr><tr><td>8.12</td><td></td></tr><tr><td>9.84</td><td></td></tr><tr><td>25.57</td><td>(1.22)</td></tr><tr><td>16.74</td><td>(0.61)</td></tr><tr><td>7.04</td><td>(0.29)</td></tr></table>	危険性		112.29	(2.01)	0.82	(0.20)	0.54		0.14		1.57	(0.31)	0.70	(0.12)	8.12		9.84		25.57	(1.22)	16.74	(0.61)	7.04	(0.29)								
危険性																																																										
110.96	(1.98)																																																									
0.81	(0.20)																																																									
0.53																																																										
0.14																																																										
1.56	(0.31)																																																									
0.69	(0.11)																																																									
8.10																																																										
9.83																																																										
25.28	(1.20)																																																									
16.62	(0.60)																																																									
6.99	(0.29)																																																									
危険性																																																										
112.29	(2.01)																																																									
0.82	(0.20)																																																									
0.54																																																										
0.14																																																										
1.57	(0.31)																																																									
0.70	(0.12)																																																									
8.12																																																										
9.84																																																										
25.57	(1.22)																																																									
16.74	(0.61)																																																									
7.04	(0.29)																																																									
P. 54 危険物 施設別 の 流出 事故 発生 件数と 危険性 (令和 6 年中)	<table><tr><th colspan="2">危険性</th></tr><tr><td>172.38</td><td>(3.96)</td></tr><tr><td>0.20</td><td></td></tr><tr><td>16.33</td><td>(0.17)</td></tr><tr><td>1.06</td><td></td></tr><tr><td>4.07</td><td>(0.14)</td></tr><tr><td>9.69</td><td>(0.15)</td></tr><tr><td>1.07</td><td></td></tr><tr><td>5.64</td><td>(0.11)</td></tr><tr><td>10.08</td><td></td></tr><tr><td>177.00</td><td>(9.28)</td></tr><tr><td>23.91</td><td>(1.03)</td></tr><tr><td>18.35</td><td>(0.60)</td></tr><tr><td>12.73</td><td>(3.80)</td></tr></table>	危険性		172.38	(3.96)	0.20		16.33	(0.17)	1.06		4.07	(0.14)	9.69	(0.15)	1.07		5.64	(0.11)	10.08		177.00	(9.28)	23.91	(1.03)	18.35	(0.60)	12.73	(3.80)	<table><tr><th colspan="2">危険性</th></tr><tr><td>174.45</td><td>(4.01)</td></tr><tr><td>0.20</td><td></td></tr><tr><td>16.43</td><td>(0.18)</td></tr><tr><td>1.07</td><td></td></tr><tr><td>4.10</td><td>(0.14)</td></tr><tr><td>9.74</td><td>(0.16)</td></tr><tr><td>1.08</td><td></td></tr><tr><td>7.19</td><td>(0.12)</td></tr><tr><td>10.11</td><td></td></tr><tr><td>177.17</td><td>(9.84)</td></tr><tr><td>24.17</td><td>(1.04)</td></tr><tr><td>18.47</td><td>(0.61)</td></tr><tr><td>12.82</td><td>(0.32)</td></tr></table>	危険性		174.45	(4.01)	0.20		16.43	(0.18)	1.07		4.10	(0.14)	9.74	(0.16)	1.08		7.19	(0.12)	10.11		177.17	(9.84)	24.17	(1.04)	18.47	(0.61)	12.82	(0.32)
危険性																																																										
172.38	(3.96)																																																									
0.20																																																										
16.33	(0.17)																																																									
1.06																																																										
4.07	(0.14)																																																									
9.69	(0.15)																																																									
1.07																																																										
5.64	(0.11)																																																									
10.08																																																										
177.00	(9.28)																																																									
23.91	(1.03)																																																									
18.35	(0.60)																																																									
12.73	(3.80)																																																									
危険性																																																										
174.45	(4.01)																																																									
0.20																																																										
16.43	(0.18)																																																									
1.07																																																										
4.10	(0.14)																																																									
9.74	(0.16)																																																									
1.08																																																										
7.19	(0.12)																																																									
10.11																																																										
177.17	(9.84)																																																									
24.17	(1.04)																																																									
18.47	(0.61)																																																									
12.82	(0.32)																																																									
P. 55 危険物 施設別 流出 事故 発生 件数 (令和 6 年中)	流出事故発生総数 486 件 (100%) - 一般取扱所 139 件 (28.6%) - 製造所 87 件 (17.9%) - 貯蔵所 186 件 (38.3%) - 移動タンク貯蔵所 62 件 (12.7%) - 取扱い所 213 件 (43.8%) - 移転取扱所 18 件 (3.7%) - 給油取扱所 56 件 (11.5%) - 屋外貯蔵所 1 件 (0.2%) - 地下タンク貯蔵所 29 件 (6.0%) - 屋内タンク貯蔵所 1 件 (0.2%) - 屋外タンク貯蔵所 92 件 (18.9%) - 屋内貯蔵所 1 件 (0.2%)	流出事故発生総数 486 件 (100%) - 取扱い所 213 件 (43.8%) - 貯蔵所 186 件 (38.3%) - 一般取扱所 139 件 (28.6%) - 移動タンク貯蔵所 62 件 (12.8%) - 移転取扱所 18 件 (3.7%) - 給油取扱所 56 件 (11.5%) - 屋外貯蔵所 1 件 (0.2%) - 地下タンク貯蔵所 29 件 (6.0%) - 屋内タンク貯蔵所 1 件 (0.2%) - 屋外タンク貯蔵所 92 件 (18.9%) - 屋内貯蔵所 1 件 (0.2%) - 製造所 87 件 (17.9%)																																																								
P. 55 出火 原因 物質別 火災 事故 発生 件数 (令和 6 年中)	火災事故発生総数 267 件 (100%) - 危険物以外のもの 146 件 (54.7%) - 第一石油類 62 件 (23.2%) - 第四類 109 件 (40.8%) - 第三石油類 16 件 (6.0%) - 第四石油類 15 件 (5.6%) - 第二石油類 9 件 (3.3%) - アルコール類 4 件 (1.5%) - その他 3 件 (1.1%) - 第一類 1 件 (0.4%) - 第二類 3 件 (1.1%) - 第三類 4 件 (1.5%) - 第五類 4 件 (1.5%)	火災事故発生総数 267 件 (100%) - 危険物 121 件 (45.3%) - 危険物以外のもの 146 件 (54.7%) - 第一石油類 62 件 (23.2%) - 第四類 109 件 (40.8%) - 第三石油類 18 件 (6.7%) - 第四石油類 15 件 (5.6%) - 第二石油類 10 件 (3.7%) - アルコール類 4 件 (1.5%) - 第一類 1 件 (0.4%) - 第二類 3 件 (1.1%) - 第三類 4 件 (1.5%) - 第五類 4 件 (1.5%)																																																								

P. 56 危険物 施設 から 流出 した 危険物 別件数 (令和6 年中)	2行目 <u>465</u> 件 (95.7%)	2行目 <u>476</u> 件 (97.9%)
P. 56 危険物 施設に おける 火災 事故 発生 要因 (令和6 年中)	※その他の要因: 放火等 1件(0.1%)、風水害等 1件(0.1%)、その他の地震災害等 1件(0.1%)	※その他の要因: 放火等 1件(0.4%)、風水害等 1件(0.4%)、その他の地震災害等 1件(0.4%)
P. 57 危険物 施設に おける 流出 事故 発生 要因 (令和6 年中)	3行目 その他の要因等 <u>11</u> 件 (2.3%) グラフ名の一部 (令和5年中)	3行目 その他の要因等 <u>23</u> 件 (4.7%) グラフ名の一部 (令和6年中)
P. 57 危険物 施設に おける 火災 事故の 着火 原因 (令和6 年中)	1行目 次いで過熱着火 32 件 (12%) 2行目 高温表面熱が 25 件 (9.3%)	1行目 次いで過熱着火 <u>33</u> 件 (12.4%) 2行目 高温表面熱が 25 件 (9.4%)

2 参照ページの訂正

該当箇所	誤	正
P. 61 (4)自主点検のポイント	(巻末参考資料 P. 269～P. 287)	(巻末参考資料 P. 347～P. 365)
P. 299 熊本地震の被害状況	～被害状況等は P. 295 を参照	～被害状況等は P. 302 を参照